

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/976,412	10/12/2001	Creighton C. Kelly	5319	9945
75	90 07/12/2005		EXAMINER	
Milliken & Company P.O. Box 1927			TORRES VELAZQUEZ, NORCA LIZ	
Spartanburg, SC 29304			ART UNIT	PAPER NUMBER
		•	1771	

DATE MAILED: 07/12/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	•				
	Application No.	Applicant(s)			
	09/976,412	KELLY ET AL.			
Office Action Summary	Examiner	Art Unit			
	Norca L. Torres-Velazquez	1771			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be ting within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
 1) Responsive to communication(s) filed on 15 April 2005. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. 					
Disposition of Claims					
4) ☐ Claim(s) 5-14,19-31,37 and 38 is/are pending in 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 5-14,19-31,37 and 38 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	wn from consideration.				
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplicated any not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine	epted or b) objected to by the did drawing(s) be held in abeyance. Sed ion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119		•			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document: 2. Certified copies of the priority document: 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	ion No ed in this National Stage			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4)				
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date		Patent Application (PTO-152)			

DETAILED ACTION

Page 2

Response to Arguments

1. Applicant's amendment and arguments filed April 15, 2005 have been fully considered but they are not persuasive.

a. Applicants have amended the claims and claim 1 is now replaced by claim 5 and claim 15 has been replaced by claim 19. These claims specify that the polyester filaments used to create the low contaminant wiper are substantially free of inorganic ionic additives, such that complete combustion of the polyester filaments yields an ash content of not greater than about 0.1% of the initial weight of the polyester filaments.

The Examiner maintains herein the rejection of these claims over PALEY et al., LANGLEY, MORIN et al. and DEAN et al. as stated in previous action.

Further, the Examiner provides a rejection over PALEY et al. and ROCKWELL,

Jr. further in view of DEAN et al.

b. Applicants maintains the argument that one who had considered the teaching by PALEY of a cleanroom wiper with a continuous fused border would not logically turn to ROCKWELL, JR., which is directed to a continuous roll towel, for an alternative border configuration.

It is further noted, that both Rockwell Jr. and Paley are directed to wiping cloths and for that reason the Examiner maintains her position that they are directed to the same field of endeavor. The Paley reference already provides wiping cloths with edges but it uses a continuous fused border zone instead of a discontinuous fused border zone. The invention of Rockwell Jr. uses a discontinuous boundary edge in the wiper and provides

the motivation of using such in a wiper for providing flexibility. Therefore, it is the Examiner's position that the references are within the field of endeavor of the art, since either are directed to wipers or wiping cloths.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 5-14, 19-31 and 37-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over PALEY et al., LANGLEY and MORIN et al. and further in view of DEAN et al. (US 6,139,954) as stated in previous action.

The prior art cited of PALEY, LANGLEY and MORIN is silent to the use of polyester free of inorganic additives. (Refer to previous action)

DEAN et al. teaches fiber made from polyesters used as binder fibers for nonwovens, textile and industrial yarns and fabrics. The polyester taught by DEAN et al. does not contain any antimony catalytic materials (Claim 11) and it teaches that these polymers are clear and non-opaque. (Column 3, lines 14-20).

Since it is known from the prior art that polyester is usually manufactured using metallic catalysts, usually compounds of antimony or aluminum, in finite amounts. And that also delusterants such as titanium dioxide are often applied to alter the appearance of the completed product. DEAN et al.'s polyester will equate to the claimed polyester with substantially free ionic additives.

Therefore, it would have been obvious at the time the invention was made to a person having ordinary skill in the art to modify the clean room wiper and provide it with a polyester that does not contain any antimony catalytic materials and that is clear and non-opaque with the motivation of avoiding having particles shed from polyester wipers that contain these metallic contaminants.

4. Claims 5-14 and 19-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over PALEY et al. (US 4,888,229), ROCKWELL, Jr. (US 6,001,442) as stated in previous action and further in view of DEAN et al. (US 6,139,954).

PALEY et al. discloses a wiper for reducing particulate contamination, which otherwise might result from the use of the wiper in controlled environment, such as that maintained in a clean room, the wiper being of the type constructed at least partially from a thermoplastic fabric material. The wiper provides a fused border in the material along the peripheral edges of the wiper and extends inwardly into the wiper. (Abstract)

The reference discloses the use of materials such as polyester in the form of a knitted, woven or non-woven fabric. (Column 2, lines 50-57)

While PALEY et al. teaches a plurality of fused perimeter edges, it teaches a continuous fused border zone. It fails to teach the claimed discontinuous fused border zone with discrete fusion points formed by localized melt fusion.

ROCKWELL, Jr. discloses a roll tower made from cotton/polyester or polyester material and teaches the use of an ultrasonically bonded, boundary edge 12 disposed on the sides of the textile surface 14. The ultrasonically bonded, boundary edges 12 preferably have a

discontinuous brick-like pattern. Such a discontinuous brick-like pattern is believed to provide exceptional flexibility. (Column 2, lines 9-24; Figure 1)

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to modify the wiper and provide it with discontinuous boundary edge (that is equated to the discontinuous fused zone of the present invention), with the motivation of providing the wiper of PALEY et al. with exceptional flexibility as disclosed by ROCKWELL, Jr. above.

However, the prior art cited is silent to the use of polyester free of inorganic additives.

DEAN et al. teaches fiber made from polyesters used as binder fibers for nonwovens, textile and industrial yarns and fabrics. The polyester taught by DEAN et al. does not contain any antimony catalytic materials (Claim 11) and it teaches that these polymers are clear and nonopaque. (Column 3, lines 14-20).

Since it is known from the prior art that polyester is usually manufactured using metallic catalysts, usually compounds of antimony or aluminum, in finite amounts. And that also delusterants such as titanium dioxide are often applied to alter the appearance of the completed product. DEAN et al.'s polyester will equate to the claimed polyester with substantially free ionic additives.

Therefore, it would have been obvious at the time the invention was made to a person having ordinary skill in the art to modify the cleanroom wiper and provide it with a polyester that does not contain any antimony catalytic materials and that is clear and non-opaque with the motivation of avoiding having particles shed from polyester wipers that contain these metallic contaminants.

Claims 37-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over PALEY et 5. al. (US 4,888,229), ROCKWELL, Jr. (US 6,001,442) and DEAN et al. (US 6,139,954) as applied above, and further in view of MORIN et al. (US 6,189,189).

Page 6

The prior art fails to teach heat setting the textile fabric at a temperature of from 180 to 300 degrees Fahrenheit.

MORIN et al. discloses a method of manufacturing a polyester textile fabric having a relatively low level of particulate contaminated and high absorbency is provided by heat setting the fabric at a temperature of 300°F or less. (Abstract)

The reference teaches a method of manufacturing a textile fabric for use in a clean room having the steps of constructing a knitted or woven fabric from polyester yarn, heat setting the fabric at a temperature of from 180° to 300° F, and cutting the fabric to form the desired article; wherein the polyester fiber has not been heated above the temperature of 300°F. (Column 2, lines 10-14)

The reference also teaches that the wipers of their invention may be constructed from woven or knitted polyester fibers, preferably fibers of poly (ethylene terephthalate). It is also preferable to construct the fabrics from continuous filament, polyester yarn. Examples of useful yarns are those having a denier to filament ratio of from 0.1 to 10, a denier of 15 to 250 with filament counts ranging from 10 to 250. Typically, the fabrics used for clean room wipers have a weight of 1 to 9 ounces per square yard. (Column 2, lines 54-61) Further, the reference teaches that the geometric shape of the clean room wiper can be squared or any shape may be employed. (Column 3, lines 53-57)

Page 7

The MORIN et al. reference further teaches that the primary tests for contamination associated with clean room wipers are those measuring particles, unspecified extractable matter, and individual ionic constituents. The amount of extractable contamination associated with a clean room wiper is determined by extracting the wiper and the organic and inorganic non-volatile residue may be further analyzed. (Column 4, lines 44-65) The reference further discloses that by following the process of their invention it is possible to reduce non-volatile residues to less than 0.005 grams/meters², and even less than 0.003 grams/meters² as measured by short-term extraction. (Column 7, lines 5-8)

Since MORIN et al. teaches the importance of having reduced non-volatile residues in a clean room wiper and also teaches the use of polyester yarns, it is reasonable to presume that MORIN et al.'s invention would provide polyester that is substantially free of inorganic ionic additives in order to provide a wiper with reduced non-volatile residues. (As disclosed above)

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to modify the clean room wiper and provide it with a method of heat setting the fabric at a temperature of 300°F or less with the motivation of providing it with dimensional stability and to provide a polyester fabric with low particulate since it is believed that by heating the polyester above 300°F causes low molecular weight polymers or bloomers to blossom to the surface of the polyester fibers, where they crystallize into small particles as disclosed by MORIN et al. (Column 2, lines 16-20 and Column 3, line 28).

6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Application/Control Number: 09/976,412

Art Unit: 1771

A shortened statutory period for reply to this final action is set to expire THREE

Page 8

MONTHS from the mailing date of this action. In the event a first reply is filed within TWO

MONTHS of the mailing date of this final action and the advisory action is not mailed until after

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the date of this

final action.

7. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Norca L. Torres-Velazquez whose telephone number is 571-272-

1484. The examiner can normally be reached on Monday-Thursday 8:00-5:00 pm and alternate

Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Terrel Morris can be reached on 571-272-1478. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Norca L. Torres-Velazquez Primary Examiner

Art Unit 1771

July 5, 2005